OS 12000 A1

Easy, fast and effective





OS 12000 A1 Innovative and ergonomic

Form follows function. Innovative design, the latest lighting technology and easy-to-use functions are the features of our new generation of A1 scanners. Everything you need to digitize large-format documents, books and maps. The OS 12000 A1 high precision scanner is the ideal, future-proof solution. The rear, glare-free illumination and the intuitive operating system, with monitor image viewing, provide perfect results. Faulty scans and uneven illumination are thus things of the past. The OS 12000 range is particularly kind to documents and is user-friendly thanks to its very high processing speed. The low level of light emission does not just protect valuable documents but also makes handling safe, efficient, and ergonomically functional. With its functional form, the OS 12000 makes scanning child's play. It combines innovation and intuition in a unique way - and wins everyone over with its top design.

Even Scans:

A single sensor unit ensures right and left sides are scanned evenly $\mathbb{Z}_{\mathbb{Z}^{EI}}$

Landesz

Workflow integration: Easy integration into workflow systems by using standard surfaces

Ergonomic work area with and without glass plate





Product advantages

- High scan speed
- ROI-scan feature (limitation of scan area)
- High productivity
- Best results with automatic color management
- Automatic work mode: automatic positioning of the book, automatic opening of the glass plate, automatic start of scan
- Perfect Book 3D scan technology for perfect book curve correction and automatic document detection
- No UV/IR radiation
- Low exposure to light (illumination will only be activated when scanning)
- No reflections with high gloss originals
- Excellent cost-performance ratio



Overhead tabletop scanner for books, newspapers, and large-format documents (certificates, drawings, maps)

OS 12000 A1 Technische Daten Scan area Max. 846 × 600 mm / 33.3 × 23.6" (> DIN A1, D-size) Book cradle Maximum book thickness 170 mm, book cradle with glass plate (scanning with and without glass plate) Auto focus Yes Scan mode 36 bit color / output 24 bit color, 12 bit gray / output 8 bit gray, 1 bit b&w / output 1 bit b&w 100-600 ppi Maximum resolution 5 seconds / 300 ppi (A1 color) Scan speed Scanner interface Firewire Data display All standard formats, e.g. TIFF uncompressed, TIFF G4, JPEG, JP2, Multipage TIFF, PDF, BMP, PCX, PNG Electrical data Voltage 230 V, other voltages on request 50-60 Hz Frequency 1,1 A Amperage Dimensions Width 1130 mm / 44.49" 1050 mm / 41.34" Depth 1620 mm / 63.78" Height Footprint (depth × width) 940 mm × 840 mm / 37" × 33.07" Software User software Software OS 12 for high productivity Perfect Book (optional) Perfect Book – 3D scan technology for perfect book curve correction and automatic document detection Image processing/image enhancement software Integrated color management, contrast improvement, image rotation, (optional) despeckle, deskewing, cropping, masking, b&w scanning with dynamic threshold, etc. PC, monitor, workstation, different bookends Accessories

Technical changes reserved



Zeutschel GmbH | Heerweg 2 | 72070 Tübingen | Germany T +49 7071 9706-0 | F +49 7071 9706-44 | info@zeutschel.de | www.zeutschel.de More Information:



www.zeutschel.de/en/ produkte/scanner/ farbscanner/os-12000-din-a1.html