



## LYNGSOE PILAR™ SELF-CHECK KIOSK

### HEIGHT-ADJUSTABLE SELF-CHECK KIOSK

#### MODERN, HEIGHT-ADJUSTABLE RFID KIOSK

Lyngsoe Pilar™ self-check RFID unit is especially designed to meet the requirements of modern libraries. The design emphasizes usability and ergonomics.

A glass table is used to create a sense of lightness and to make the device discreet in the library space, while still being a fully functional tabletop for patrons to use for their material. The table is electrically adjustable, making it ergonomic to use for children and wheelchair users.

#### BUILT ON THE LATEST TECHNOLOGIES

Lyngsoe self-check units have a guaranteed finish, using high-quality materials and hi-tech. All hardware - computers, RFID readers, receipt printer - is fully integrated into the furniture. Lyngsoe Pilar uses LibRid3 software as user interface. LibRid3 is state-of-the-art software built on the latest technologies. It allows for a very long lifespan for the device, with versatility and new features being continuously developed.

### INTUITIVE USER INTERFACE

LibRid3 has a simple and intuitive user interface that guides the patrons through the check-in and check-out processes. The software also supports many other functions, such as account information and renewal of loans. Sorting is supported with check-in, allowing libraries to define specific handling of certain material, such as reserved items.

### MULTIPLE LANGUAGES AND CUSTOMIZABLE TEXT

The software supports multiple languages, of which four can be active at a time. All texts on screen and receipts can be modified by the library with easy-to-use tools made for that purpose.

#### BENEFITS

- Ergonomic and modern design
- Electrically height adjustable furniture
- Newest software technology
- RFID, stack read
- ADA and DDA compliant
- Small footprint



## SPECIFICATIONS

## LYNGSOE PILAR™ SELF-CHECK KIOSK

### GENERAL

Functions	Check out, Check in, Account info, Renew, Holds, Offline
Item identification	RFID
Security	RFID (AFI/EAS)
RFID standards	ISO15693 SLIX 18000-3-1
RFID data models	ISO28560, DDM, KATVE, TechLogic, TV2, 3M, TRC, ITG, ITG2
Patron card types	Barcode, RFID, Mifare, Smartphone, QR code
Pin code	Touch screen or separate PIN-pad

### COMPATIBILITY AND PROGRAMS

Operating system	Windows 10
Software	LibRid3
Easy to use – user interface	
Manual sorting options (4 categories)	
Reporting and statistics management	
Remote management	
Customized software features	
Centralized information management system	
Connectivity: Protocol TCP/IP, LMS: SIP 1 SIP 2	

### TECHNICAL INFORMATION

Touch screen size	17"
Printer	80 mm Thermal printer
Input voltage	100-240V
Power usage	250 W
Dimensions:	563 x 900 x 1220-1720 mm / 22.2 x 35.4 x 48-67.7" (L x W x H)
Unit weight	90 kg / 198.4 lbs
Color	Black, white
Certificates	CE

